

				2013 TEST RESULTS			
Contaminant	Date	Violatio Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
1. Alpha emitters							
	6/19/2013	N	3.04	pCi/L	15	15	Erosion of natural deposits
	10/16/2013	Y	17.15	pCi/L	0	15	
Combined Uranium	6/16/2013	N	7.8	ppb	30	30	Erosion of natural deposits
	10/16/2013		8.6				
Inorganic Contaminant	9/27/2010	N	.154	ppm	2	2	Discharge of drilling wastes, refineries, erosion of natural deposits
Arsenic	8/21/2013	N	5	ppb	10	10	Erosion of natural desopits
	10/16/2013	N	7	ppb	10	10	Erosion of natural desopits
10. Copper	12/21/2010	N	0.237 90th %	ppm	1.3	AL=1.3	Corrosion of household plumbing systems, erosion of natural deposits, leaching from wood preservatives
13. Lead	12/21/2010	N	4 90th %	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
12. Fluoride	10/10/2013	N	0.5	ppm	4	4	Erosion of natural deposits, water additive which provides for stronger teeth, discharge from fertilizer and aluminum factories
16. Nitrate (as Nitrogen)	6/19-10/16/2013	N	ND-5.58	ppm	10	10	Runoff from fertilizer use, leaching from septic tanks, sewage, erosion, of natural deposits
18. Selenium	9/20/07	N	1-8	ppb	50	50	Discharge from petroleum and metal refineries, erosion discharge from mines
Chromium	9/27/2010	N	1	ppb	100	100	Discharge from steel and pulp mills. Errosion of natural deposits
Total Coliform	1/08-12/23/13	N	P	ppm	0	0	Naturally present in the environment
Eythlene Dibromide (EDB)	6/19-10/15/2013	N	24	ppy	50	50	Discharge from petroleum refineries
Di(2-ethylhexyl)	10/15/2013	N	0.63	ppb	7	7	Discharge from rubber and
Di cholramethane	9/27/2010	N	.92	ppb	0	5	Discharge from drug and
Ethylbenzene	8/16/2011	N	6.07	ppb	7	7	Discharge from petroleum
Stvrene	8/16/2011	N	2.94	ppb	10	10	Discharge from rubber and
Toluene	8/16/2011	N	2.56	ppb	10	10	Discharge from petroleum
Xylenes, Total	9/27/2010	N	17.80	ppb	10	10	Discharge from petroleum and chemical factories
TTHM	8/16/2011	N	1.34	ppb	N/A	8	Byproduct of drinking water